

10/30/00

10/30/00 U.S. PTO 09/699607

10-31-00

Case Docket No. US000256

A

COMMISSIONER FOR PATENTS, Washington, D.C. 20231

Used for filing is the patent application of Inventor(s):  
**KAUSHAL KURAPATI**

For: **METHOD AND APPARATUS FOR AUTOMATIC GENERATION OF QUERY SEARCH TERMS FOR A PROGRAM RECOMMENDER**

**ENCLOSED ARE:**

- ☒ Associate Power of Attorney;
- ☐ Information Disclosure Statement, Form PTO-1449 and copies of documents listed therein;
- ☐ Preliminary Amendment;
- ☒ Specification (17 Pages of Specification, Claims, & Abstract);
- ☒ Declaration and Power of Attorney:  
( 2 Pages of a ☒ fully executed ☐ unsigned Declaration);
- ☒ Drawing (4 sheets of ☐ informal ☒ formal sheets);
- ☐ Certified copy of application Serial No. ;
- ☒ Other: Authorization Pursuant to 37 CFR 1.136(a);
- ☒ Assignment to Philips Electronics North America Corporation

10/30/00 U.S. PTO 09/699607

**FEE COMPUTATION**

CLAIMS AS FILED				
FOR	NUMBER FILED	NUMBER EXTRA	RATE	BASIC FEE - \$710.00
Total Claims	23- 20 =	3	X \$18 =	54.00
Independent Claims	9 - 3 =	6	X \$78 =	468.00
Multiple Dependent Claims, if any			\$260 =	0.00
TOTAL FILING FEE . . . . .			=	\$1,232.00

**Please charge Deposit Account No. 14-1270 in the amount of the total filing fee indicated above, plus any deficiencies. The Commissioner is also hereby authorized to charge any other fees which may be required, except the issue fee, or credit any overpayment to Account No. 14-1270.**

☐ Amend the specification by inserting before the first line the sentence: This is a continuation-in-part of application Serial No. , filed .

**CERTIFICATE OF MAILING**

Express Mail Mailing Label No. EL458219334

Date of Deposit OCTOBER 30, 2000

I hereby certify that this paper and fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to  
The Commissioner for Patents  
Washington, D.C. 20231

Noemi Chapa  
Name Noemi Chapa  
Signature

Gregory L. Thorne  
Gregory L. Thorne, Reg. No. 39,398  
Attorney  
(914) 333-9665  
Philips Electronics North America Corporation  
580 White Plains Road  
Tarrytown, New York 10591

Send correspondence and papers to: Corporate Patent Counsel  
U.S. Philips Corporation, 580 White Plains Road, Tarrytown, New York 10591

**METHOD AND APPARATUS FOR AUTOMATIC GENERATION OF QUERY**  
**SEARCH TERMS FOR A PROGRAM RECOMMENDER**

5   **Field of the Invention**

          The present invention relates to television program recommenders, and more particularly, to a method and apparatus for automatically generating search terms for a query to identify television programs of interest.

10

**Background of the Invention**

          As the number of channels available to television viewers has increased, along with the diversity of the programming content available on such channels, it has become increasingly challenging for television viewers to identify television programs of interest. Historically, television viewers identified television programs of interest by analyzing printed television program guides. Typically, such printed television program guides contained grids listing the available television programs by time and date, channel and title. As the number of television programs has increased, it has become increasingly difficult to effectively identify desirable television programs using such printed guides.

          More recently, television program guides have become available in an electronic format, often referred to as electronic program guides (EPGs). Like printed television program guides, EPGs contain grids listing the available television programs by time and date, channel and title. Some EPGs, however, allow television viewers to sort or search the available television programs in accordance with personalized preferences. In addition, EPGs allow for on-screen presentation of the available television programs.

          While EPGs allow viewers to identify desirable programs more efficiently than conventional printed guides, they suffer from a number of limitations, which if overcome, could further

enhance the ability of viewers to identify desirable programs. For example, many viewers have a particular preference towards, or bias against, certain categories of programming, such as action-based programs or sports programming. Thus, the viewer preferences can be applied to the EPG to obtain a set of recommended programs that may be of interest to a particular viewer.

Thus, a number of tools have been proposed or suggested for recommending television programming. The Tivo™ system, for example, commercially available from Tivo, Inc., of Sunnyvale, California, allows viewers to rate shows using a "Thumbs Up and Thumbs Down" feature and thereby indicate programs that the viewer likes and dislikes, respectively. Thereafter, the Tivo receiver matches the recorded viewer preferences with received program data, such as an EPG, to make recommendations tailored to each viewer.

Such tools for generating television program recommendations provide selections of programs that a viewer might like, based on their prior viewing history. Even with the aid of such program recommenders, however, it is still difficult for a viewer to identify programs of interest from among all the options. Furthermore, currently available tools that search the electronic program guide based on a user-defined query require several button clicks before the user can review the list of programs satisfying the query. A need therefore exists for a method and apparatus for recommending television programs that is responsive to the current desires or mood of the viewer. A further need exists for a method and apparatus for automatically generating queries to identify television programs of interest in an efficient manner.

## Summary of the Invention

Generally, a method and apparatus are disclosed for generating television program recommendations based on a user-specified query. According to one aspect of the invention, the disclosed television programming recommender automatically constructs a query based on previous searches that have been executed by the user. For example, the television programming recommender can automatically initiate a search in response to a user command, such as a one-button click, using the top-N search terms (where N is a positive number) for each attribute that have been previously used in a query.

The present invention allows one or more default terms to be specified for a given attribute to supercede the corresponding top-N search terms. For example, the user may desire to always search the "time" attribute using the current time interval, as opposed to any previous time intervals that may have been searched. In addition, the present invention can optionally automatically specify the profile for the current user for a given query. In this manner, the inclusion of a user profile in the automatic search allows more personalized search results.

The television programming recommender evaluates each query against a set of programs indicated in an electronic programming guide to identify programs of interest to a particular user. Generally, each time a search is initiated by the user, the query is decomposed to identify the attribute-value pairs specified by the user. A historical search database is maintained to indicate the number of times each attribute-value pair appears in a user query.

When an automatic search is initiated in accordance with the present invention, the top-N attribute-value pairs are retrieved for each possible attribute, based on their frequency counts, and automatically placed in the search bin. An automatic

query generation process coordinates the construction of the automatic query and compares the attributes of each program in an electronic program guide to the attribute-value pairs specified in the automatic query to identify programs satisfying the limitations of the automatic query.

A more complete understanding of the present invention, as well as further features and advantages of the present invention, will be obtained by reference to the following detailed description and drawings.

### **Brief Description of the Drawings**

FIG. 1 illustrates a television programming recommender in accordance with the present invention;

FIG. 2 is a sample table from the viewer profile database of FIG. 1;

FIG. 3 is a sample table from the program database of FIG. 1;

FIG. 4 is a sample table from the historical search database of FIG. 1; and

FIG. 5 is a flow chart describing an exemplary automatic query generation process embodying principles of the present invention.

### **Detailed Description**

FIG. 1 illustrates a television programming recommender 100 in accordance with the present invention. As shown in FIG. 1, the television programming recommender 100 evaluates each of the programs in an electronic programming guide (EPG) 110 to identify programs of interest to a particular viewer. The set of recommended programs can be presented to the viewer, for example, using a set-top terminal/television 180 using well known on-screen presentation techniques.

According to one feature of the present invention, the television programming recommender 100 generates television program recommendations in response to a user query. In particular, the television programming recommender 100 automatically constructs a query based on previous searches that have been executed by the user. In one implementation, the television programming recommender 100 initiates a search in response to a user command, such as a one-button click, using the top-N search terms (where N is a positive number) for each attribute that have been previously used in a query. One or more default terms may be specified by the user for a given attribute to supercede the corresponding top-N search terms. For example, the user may desire to always search the "time" attribute using the current time interval, as opposed to any previous time intervals that may have been searched.

As shown in FIG. 1, the television programming recommender 100 receives a query from the user and evaluates each query against a set of programs indicated in an electronic programming guide (EPG) 110, to identify programs of interest to a particular user. Generally, each time a manual or automatic search is initiated by the user using one or more query commands, the television programming recommender 100 decomposes the query to identify the attribute-value pairs specified by the user. A historical search database 400, discussed below in conjunction with FIG. 4, is maintained to indicate the number of times each attribute-value pair has appeared in a user query. Thus, the corresponding count value is incremented in the historical search database 400 for each attribute-value pair appearing in the decomposed query.

Thus, when a user activates the automatic search feature of the present invention, the top-N attribute-value pairs are retrieved for each possible attribute, based on their frequency counts, and automatically placed in the search bin. In

an illustrative implementation, the current time interval is the default setting for the "time" attribute, and the current user is the default setting for the "user-profile name" attribute. An automatic query generation process 500, discussed below in conjunction with FIG. 5, coordinates the construction of the automatic query and compares the attributes of each program in the indicated time interval (as set forth in the electronic program guide 110) to attribute-value pairs specified in the automatic query. In this manner, the automatic query generation process 500 identifies programs satisfying the limitations of the automatic query.

The television program recommender 100 may be embodied as any computing device, such as a personal computer or workstation, containing a processor 150, such as a central processing unit (CPU), and memory 160, such as RAM and ROM. In addition, the television programming recommender 100 may be embodied as any available television program recommender, such as the Tivo™ system, commercially available from Tivo, Inc., of Sunnyvale, California, or the television program recommenders described in United States Patent Application Serial No. 09/466,406, filed December 17, 1999, entitled "Method and Apparatus for Recommending Television Programming Using Decision Trees," (Attorney Docket No. 700772) and United States Patent Application Serial No. 09/498,271, filed Feb. 4, 2000, entitled "Bayesian TV Show Recommender," (Attorney Docket No. 700690), or any combination thereof, as modified herein to carry out the features and functions of the present invention.

As shown in FIG. 1, and discussed further below in conjunction with FIGS. 2 through 5, respectively, the memory 160 of the television programming recommender 100 includes one or more viewer profile(s) 200, a program database 300, a historical search database 400 and an automatic query process 500. Generally, the illustrative viewer profile 200 indicates a

viewer's relative level of interest for each program attribute. The program database 300 records information for each program that is available in a given time interval. The historical search database 400 indicates the number of times each attribute-value pair has appeared in a user query. Finally, the automatic query generation process 500 coordinates the construction of the automatic query in accordance with the present invention, and compares the attributes of each program in the indicated time interval to attribute-value pairs specified in the automatic query to identify programs satisfying the limitations of the automatic query.

FIG. 2 is a table illustrating an exemplary viewer profile 200. It is noted that the viewer profile 200 may be associated with a specific user or a group of individuals, such as a household, as would be apparent to a person of ordinary skill in the art. It is noted further that the viewer profile 200 may be generated explicitly, based on responses to a survey, or implicitly, based on the set of shows that were watched (and/or not watched) by the viewer over a period of time, or a combination of the foregoing.

As shown in FIG. 2, the viewer profile 200 contains a plurality of records 205-213 each associated with a different program attribute. In addition, for each attribute set forth in column 240, the viewer profile 200 provides a numerical representation in column 250, indicating the relative level of interest of the viewer in the corresponding attribute. As discussed below, in the illustrative viewer profile 200 set forth in FIG. 2, a numerical scale between 1 ("hate") and 7 ("love") is utilized. For example, the viewer profile 200 set forth in FIG. 2 has numerical representations indicating that the user particularly enjoys programming on the Sports channel, as well as late afternoon programming.



In an exemplary embodiment, the numerical representation in the viewer profile 200 includes an intensity scale such as:

Number	Description
1	Hates
2	Dislikes
3	Moderately negative
4	Neutral
5	Moderately positive
6	Likes
7	Loves

FIG. 3 is a sample table from the program database 300 of FIG. 1 that records information for each program that is available in a given time interval. The data that appearing in the program database 300 may be obtained, for example, from the electronic program guide 110. As shown in FIG. 3, the program database 300 contains a plurality of records, such as records 305 through 320, each associated with a given program. For each program, the program database 300 indicates the date/time and channel associated with the program in fields 340 and 345, respectively. In addition, the title and genre for each program are identified in fields 350 and 355. Additional well-known attributes (not shown), such as actors, duration, and description of the program, can also be included in the program database 300.

The program database 300 may also optionally record an indication of the recommendation score assigned to each program by the television programming recommender 100 in field 370. In this manner, the numerical scores can be displayed to the user in the electronic program guide with each program directly or mapped onto a color spectrum or another visual cue that permits the user to quickly locate programs of interest.

As previously indicated, the historical search database 400 indicates the number of times each attribute-value pair has appeared in a user query. As shown in FIG. 4, the historical search database 400 is comprised of a plurality of records, such

as records 405 through 415, each associated with a given attribute-value pair. For each attribute-value pair, the historical search database 400 indicates the corresponding number of times the attribute-value pair has appeared in a user query. As previously indicated, each time a manual or automatic search is initiated by the user, the television programming recommender 100 decomposes the query and increments the counter in the historical search database 400 for each attribute-value pair appearing in the decomposed query.

FIG. 5 is a flow chart describing an exemplary automatic query generation process 500 embodying principles of the present invention. As shown in FIG. 5, the automatic query generation process 500 is initiated following receipt of an appropriate automatic query command from a user during step 510. Thereafter, the automatic query generation process 500 obtains the electronic program guide (EPG) 110 during step 520.

The top-N attribute-value pairs for each attribute are retrieved from the historical search database 400 during step 530. In addition, any default attribute-value pairs that have been specified by the current user are utilized (regardless of the top-N attribute-value pairs). Thus, the automatic query generation process 500 constructs an automatic query during step 540. It is noted that each of the top-N attribute-value pairs for each attribute are combined using a union operation (logical "OR") and each individual attribute is combined in the automatic query using an integration operation (logical "AND"). For example, an automatic query where N equals two, and the current time interval (now) is specified as the default time interval may be represented as follows:

Query = [actor1 OR actor2] AND [genrel1 OR genre2] AND  
[channel1 OR channel 2] ... AND [time-of-day=NOW]

It is noted that one of the attribute-value pairs could be a wild card, in a known manner.

The automatic query generation process 500 compares the attributes of each program in the indicated time interval as set forth in the electronic program guide 110 to the attribute-value pairs specified in the automatic query during step 550. In this manner, the automatic query generation process 500 identifies programs satisfying the limitations of the automatic query.

The search results are presented to the user during step 560. Finally, the automatic query generation process 500 decomposes the search terms in the automatic query and increments the corresponding counters in the historical search database 400 during step 570, before program control terminates.

It is to be understood that the embodiments and variations shown and described herein are merely illustrative of the principles of this invention and that various modifications may be implemented by those skilled in the art without departing from the scope and spirit of the invention.

## Claims

What is claimed is:

1. A method for searching an electronic program guide, comprising the steps of:

obtaining a list of available programs;

generating a user query in response to a user command, said user query specifying at least one attribute-value pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on a prior query; and

comparing attributes of said available programs to said attribute-value pairs in said query to identify programs satisfying said query.

2. The method of claim 1, wherein said generating step is performed automatically in response to said user command.

3. The method of claim 1, wherein said user command is a single button click.

4. The method of claim 1, wherein said at least one of said attribute-value pairs selected based on a prior search is obtained using the top-N search terms (where N is a positive number) that have been previously used in a query for said attribute.

5. The method of claim 4, further comprising the step of receiving one or more default terms for a given attribute that supercede said corresponding top-N search terms.

6. The method of claim 1, further comprising the steps of decomposing said query to identify attribute-value pairs contained in said query and incrementing a counter indicating a number of times each of said attribute-value pairs appears in a user query.

7. A method for constructing a query of an electronic program guide, comprising the steps of:

receiving a command from a user initiating said query;

retrieving one or more prior queries performed by said user; and

generating said query comprised of at least one attribute-value pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on said prior queries.

8. The method of claim 7, wherein said generating step is performed automatically in response to said user command.

9. The method of claim 7, wherein said user command is a single button click.

10. The method of claim 7, wherein said at least one of said attribute-value pairs selected based on said prior queries is obtained using the top-N search terms (where N is a positive number) that have been previously used in a query for said attribute.

11. The method of claim 10, further comprising the step of receiving one or more default terms for a given attribute that supercede said corresponding top-N search terms.

12. The method of claim 7, further comprising the steps of decomposing said query to identify attribute-value pairs contained in said query and incrementing a counter indicating a number of times each of said attribute-value pairs appears in a user query.

13. A method for constructing a query of an electronic program guide, wherein said query is comprised of at least one attribute-value pair for each of a plurality of program attributes, comprising the steps of:

receiving a command from a user initiating said query;  
retrieving the top-N (where N is greater than or equal to zero) attribute-value pairs for each possible attribute based on a number of times said attribute-value pairs have previously been utilized in a query; and

constructing said query with said top-N attribute-value pairs for each possible attribute unless a default attribute-value pair has been specified for a given attribute.

14. The method of claim 13, wherein said constructing step is performed automatically in response to said user command.

15. The method of claim 13, wherein said user command is a single button click.

16. The method of claim 13, further comprising the step of receiving one or more default terms for a given attribute that supercede said corresponding top-N search terms.

17. The method of claim 13, further comprising the steps of decomposing said query to identify attribute-value pairs contained in said query and incrementing a counter indicating a

number of times each of said attribute-value pairs appears in a user query.

18. A system for searching an electronic program guide, comprising:

a memory for storing computer readable code; and  
a processor operatively coupled to said memory, said processor configured to:

obtain a list of available programs;

generate a user query in response to a user command, said user query specifying at least one attribute-value pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on a prior query; and

compare attributes of said available programs to said attribute-value pairs in said query to identify programs satisfying said query.

19. A system for constructing a query of an electronic program guide, comprising:

a memory for storing computer readable code; and  
a processor operatively coupled to said memory, said processor configured to:

receive a command from a user initiating said query;

retrieve one or more prior queries performed by said user; and

generate said query comprised of at least one attribute-value pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on said prior queries.

20. A system for constructing a query of an electronic program guide, wherein said query is comprised of at least one attribute-value pair for each of a plurality of program attributes, comprising:

5 a memory for storing computer readable code; and  
a processor operatively coupled to said memory, said processor configured to:

receive a command from a user initiating said query;  
retrieve the top-N (where N is greater than or equal to  
10 zero) attribute-value pairs for each possible attribute based on a number of times said attribute-value pairs have previously been utilized in a query; and

construct said query with said top-N attribute-value pairs for each possible attribute unless a default attribute-value pair has been specified for a given attribute.

21. An article of manufacture for searching an electronic program guide, comprising:

a computer readable medium having computer readable  
20 code means embodied thereon, said computer readable program code means comprising:

a step to obtain a list of available programs;  
a step to generate a user query in response to a user  
command, said user query specifying at least one attribute-value  
25 pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on a prior query; and

a step to compare attributes of said available programs  
to said attribute-value pairs in said query to identify programs  
30 satisfying said query.

22. An article of manufacture for constructing a query of an electronic program guide, comprising:



a computer readable medium having computer readable code means embodied thereon, said computer readable program code means comprising:

a step to receive a command from a user initiating said query;

a step to retrieve one or more prior queries performed by said user; and

a step to generate said query comprised of at least one attribute-value pair for each of a plurality of program attributes, wherein at least one of said attribute-value pairs is selected based on said prior queries.

23. An article of manufacture for constructing a query of an electronic program guide, wherein said query is comprised of at least one attribute-value pair for each of a plurality of program attributes, comprising:

a computer readable medium having computer readable code means embodied thereon, said computer readable program code means comprising:

a step to receive a command from a user initiating said query;


a step to retrieve the top-N (where N is greater than or equal to zero) attribute-value pairs for each possible attribute based on a number of times said attribute-value pairs have previously been utilized in a query; and

a step to construct said query with said top-N attribute-value pairs for each possible attribute unless a default attribute-value pair has been specified for a given attribute.

## ABSTRACT

A method and apparatus are disclosed for generating television program recommendations based on a user-specified query. The disclosed television programming recommender automatically constructs a query based on previous searches that have been executed by the user. For example, the television programming recommender can automatically initiate a search in response to a user command, such as a one-button click, using the top-N search terms for each attribute that have been previously used in a query. One or more default terms may be specified for a given attribute to supercede the corresponding top-N search terms. Each query is evaluated against a set of programs in an electronic programming guide to identify programs of interest to a particular user. Each time a search is initiated by the user, the query is decomposed to identify the attribute-value pairs specified by the user and a counter is incremented. When an automatic search is initiated, the top-N attribute-value pairs are retrieved for each possible attribute and automatically placed in the search bin. The attributes of each program in an electronic program guide are compared to the attribute-value pairs specified in the automatic query to identify programs satisfying the limitations of the automatic query.

1100-65.app



**FIG. 1**

## VIEWER PROFILE 200

	ATTRIBUTE <u>240</u>	NUMERICAL (OR SYMBOLIC) REPRESENTATION <u>250</u>
205	CHANNEL 2	3
206	CHANNEL 4	4
207	CHANNEL 7	3
208	....	
209	SPORTS CHANNEL	7
....	MUSIC CHANNEL	2
	....	
210	MORNING PROGRAMS	1
211	EARLY AFTERNOON PROGRAMS	3
212	LATE AFTERNOON PROGRAMS	7
213	EVENING PROGRAMS	5
	...	

FIG. 2

PROGRAM DATABASE - 300

	DATE/TIME <u>340</u>	CHANNEL <u>345</u>	TITLE <u>350</u>	GENRE <u>355</u>	...	RECOMMENDER SCORE <u>370</u>
305	11/18/99 -- 8:00 P.M.	CH 1	LUCY	COMEDY		55
310	11/18/99 -- 8:30 P.M.	CH 1	AL'S FAMILY	SITCOM		78
	...					
320	11/18/99 -- 9:00 P.M.	CH 3	YOUR HOUSE	DRAMA		96

FIG. 3

HISTORICAL SEARCH DATABASE - 400

	ATTRIBUTE-VALUE PAIR <u>450</u>	NUMBER OF TIMES UTILIZED IN A QUERY <u>460</u>
405	GENRE: COMEDY	
410	GENRE: DRAMA	
...		
415	GENRE: SITCOM	
...		

FIG. 4

```
graph TD; 500([AUTOMATIC QUERY GENERATION PROCESS 500]) --> 510{{AUTOMATIC QUERY COMMAND RECEIVED FROM USER? 510}}; 510 -- NO --> 500; 510 -- YES --> 520[OBTAIN ELECTRONIC PROGRAM GUIDE (EPG) 110 520]; 520 --> 530[RETRIEVE TOP-N ATTRIBUTE-VALUE PAIRS FOR EACH ATTRIBUTE FROM HISTORICAL SEARCH DATABASE 400 530]; 530 --> 540[CONSTRUCT AUTOMATIC QUERY 540]; 540 --> 550[COMPARE ATTRIBUTES OF EACH PROGRAM IN INDICATED TIME INTERVAL IN EPG TO ATTRIBUTE-VALUE PAIRS SPECIFIED IN AUTOMATIC QUERY 550]; 550 --> 560[RETURN SEARCH RESULTS TO USER 560]; 560 --> 570[DECOMPOSE SEARCH TERMS AND INCREMENT CORRESPONDING COUNTS IN HISTORICAL SEARCH DATABASE 400 570]; 570 --> END([END]);
```

**FIG. 5**

**DECLARATION and POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **Method and Apparatus for Automatic Generation of Query Search Terms for a Program**

**Recommender**

the specification of which (check one)

☒ is attached hereto.

\_\_\_\_\_ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by the amendment(s) referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulation, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

**PRIOR FOREIGN APPLICATION(S)**

COUNTRY	APPLICATION NUMBER	DATE OF FILING (DAY, MONTH, YEAR)	PRIORITY CLAIMED UNDER 35 U.S.C. 119

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application (s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35 United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

**PRIOR UNITED STATES APPLICATION(S)**

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (PATENTED, PENDING, ABANDONED)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**POWER OF ATTORNEY:** As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Algy Tamoshunas, Reg. No. 27,677

Jack E. Haken, Reg. No. 26,902

SEND CORRESPONDENCE TO: Corporate Patent Counsel; U.S. Philips Corporation; 580 White Plains Road; Tarrytown, NY 10591	DIRECT TELEPHONE CALLS TO: Gregory L. Thorne (914) 333-9665
---	---

<b>Dated:</b> Sep. 25, 2000		<b>Inventor's Signature:</b> <i>K. J. Kaushal</i>		
<b>Full Name of Inventor</b>	<b>Last Name:</b> Kurapati	<b>First Name :</b> Kaushal	<b>Middle Name:</b>	
<b>Residence &amp; Citizenship</b>	<b>City</b> Yorktown Heights	<b>State or Foreign Country</b> New York	<b>Country of Citizenship</b> India	
<b>Post Office Address</b>	<b>Street</b> 206 Sandpiper Court	<b>City</b> Yorktown Heights	<b>State or Country</b> New York	<b>Zip Code</b> 10598

<b>Dated:</b>		<b>Inventor's Signature:</b>		
<b>Full Name of Inventor</b>	<b>Last Name:</b>	<b>First Name :</b>	<b>Middle Name:</b>	
<b>Residence &amp; Citizenship</b>	<b>City</b>	<b>State or Foreign Country</b>	<b>Country of Citizenship</b>	
<b>Post Office Address</b>	<b>Street</b>	<b>City</b>	<b>State or Country</b>	<b>Zip Code</b>

DocId: 32956960



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

KAUSHAL KURAPATI

US000256

Filed: CONCURRENTLY

Title: METHOD AND APPARATUS FOR AUTOMATIC GENERATION OF QUERY  
SEARCH TERMS FOR A PROGRAM RECOMMENDER

Commissioner for Patents, Washington, D.C. 20231

APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all  
prior appointments (if any) of Associate Attorney(s) or Agent(s) in  
the above-captioned case and appoints:


**GREGORY L. THORNE**

**(Registration No. 39,398)**

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580  
White Plains Road, Tarrytown, New York 10591, his Associate  
Attorney(s)/Agent(s) with all the usual powers to prosecute the  
above-identified application and any division or continuation  
thereof, to make alterations and amendments therein, and to  
transact all business in the Patent and Trademark Office connected  
therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE  
LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED  
ATTORNEY OF RECORD.

Respectfully,



Jack E. Haken, Reg. 26,902  
Attorney of Record

Dated at Tarrytown, New York  
on October 24, 2000.